

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	364	wfms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:13
L2	37825	"705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:13
L3	61	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:13
L4	23	3 and @ad<="20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:15
L5	625	rector.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 13:01
L6	0	5 and wfms.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:15
L7	0	5 and true.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:15
L8	1538	workflow.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:24
L9	281	workflow.ti. and @ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:24

L10	14	(workflow.ti. and @ad<="19990915") and (start with condition)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:24
L11	4	(US-5870545-\$).did. or (US-6041306-\$).did.	USPAT; DERWENT	OR	OFF	2005/11/20 12:24
L12	1	("5745901").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L13	1	("5634127").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L14	1	("5301320").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L15	1	("5581691").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L16	1	("5799297").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L17	1	("5867824").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:24
L18	12	(US-5870545-\$ or US-5301320-\$ or US-5581691-\$ or US-5799297-\$ or US-5867824-\$).did. or (US-6041306-\$).did.	USPAT; DERWENT	OR	OFF	2005/11/20 12:24
L19	1	(US-5870545-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L20	47	((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L21	43	((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L22	28	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L23	22	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and data\$1base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L24	18	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and confirm\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L25	2	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and (access adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L26	22	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L27	5	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif\$6) and print	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L28	20	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L29	7	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and prints	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L30	8	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and administrator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L31	9	(((((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and network and day and time and user) and (access or code or password)) and screen) and identif\$6) and conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L32	55	(schedul\$4.ti. and @ad<="20010608") and (screen with (confirm\$ or notif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L33	3	((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and (screen with (confirm\$ or notif\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L34	0	(schedul\$4.ti. and @ad<="20010608") and (date adj approved)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L35	6	(schedul\$4.ti. and @ad<="20010608") and (date same approved)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L36	57	(schedul\$4.ti. and @ad<="20010608") and (confirm\$6 same identif\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L37	91	(schedul\$4.ti. and @ad<="20010608") and (confirm\$6 same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L38	62	(schedul\$4.ti. and @ad<="20010608") and (confirm\$6 with date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L39	46	(schedul\$4.ti. and @ad<="20010608") and (confirm\$6 with (date and time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L40	1	(US-6012037-\$.did.	USPAT	OR	OFF	2005/11/20 12:25
L41	1	(US-5970466-\$.did.	USPAT	OR	OFF	2005/11/20 12:25
L42	1	(US-4548510-\$.did.	USPAT	OR	OFF	2005/11/20 12:25

L43	3	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)	USPAT	OR	OFF	2005/11/20 12:25
L44	2	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and (print or output)	USPAT	OR	ON	2005/11/20 12:25
L45	0	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and welcome	USPAT	OR	ON	2005/11/20 12:25
L46	0	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and main	USPAT	OR	ON	2005/11/20 12:25
L47	28	(US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25
L48	0	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and welcome	USPAT	OR	ON	2005/11/20 12:25
L49	3	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and screen	USPAT	OR	ON	2005/11/20 12:53
L50	0	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and screen and ID	USPAT	OR	ON	2005/11/20 12:25
L51	0	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-4548510-\$).did.)) and ID	USPAT	OR	ON	2005/11/20 12:25
L52	3	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and ID	USPAT	OR	ON	2005/11/20 12:25

L53	1	((US-6073110-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L54	3	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)	USPAT	OR	OFF	2005/11/20 12:25
L55	0	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and print	USPAT	OR	ON	2005/11/20 12:25
L56	1	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and output	USPAT	OR	ON	2005/11/20 12:25
L57	2	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and users	USPAT	OR	OFF	2005/11/20 12:25
L58	1	((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and (remove or cancel or delete)	USPAT	OR	ON	2005/11/20 12:25
L59	0	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and students	USPAT	OR	ON	2005/11/20 12:25
L60	156	(schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L61	1	((schedul\$4.ti. and @ad<="20010608") and (schedul\$4 with appointment)) and students	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L62	12061	schedul\$4.ti. and @ad<="20010608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L63	36	(schedul\$4.ti. and @ad<="20010608") and students	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L64	4	(schedul\$4.ti. and @ad<="20010608") and (group with students)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L65	16	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L66	5	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and code and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L67	8	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and access and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L68	1	((US-5970466-\$).did.) and display	USPAT	OR	ON	2005/11/20 12:25
L69	25	(schedul\$4.ti. and @ad<="20010608") and (seating or sitting)	USPAT	OR	ON	2005/11/20 12:25
L70	0	((schedul\$4.ti. and @ad<="20010608") and (seating or sitting)) and photography	USPAT	OR	ON	2005/11/20 12:25
L71	11	(schedul\$4.ti. and @ad<="20010608") and (seating)	USPAT	OR	ON	2005/11/20 12:25
L72	0	(schedul\$4.ti. and @ad<="20010608") and (seating and attire)	USPAT	OR	ON	2005/11/20 12:25
L73	0	(photography with (sitting or seating)) and attire	USPAT	OR	ON	2005/11/20 12:25
L74	1	(photography same (sitting or seating)) and attire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L75	4	(photography and (sitting or seating)) and attire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L76	10	((sitting or seating) with attire)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L77	8	((((sitting or seating) with attire)) and @ad<="20000608"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L78	1	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and mail	USPAT	OR	ON	2005/11/20 12:25
L79	1	((((US-6012037-\$).did.) or ((US-5970466-\$).did.) or ((US-6073110-\$).did.)) and e\$1mail	USPAT	OR	ON	2005/11/20 12:25
L80	5	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and e\$1mail	USPAT	OR	ON	2005/11/20 12:25
L81	3	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and e\$1mail and notif\$6	USPAT	OR	ON	2005/11/20 12:25
L82	1	("5970466").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:25
L83	0	("((assign\$4withaccess)samedatabase)and@ad<=20000608").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:25
L84	623	((assign\$4 with access) same database) and @ad<="20000608"	USPAT	OR	OFF	2005/11/20 12:25
L85	166	((((assign\$4 with access) same database) and @ad<="20000608") and schedule	USPAT	OR	ON	2005/11/20 12:25

L86	137	(((((assign\$4 with access) same database) and @ad<="20000608") and schedule) and date and time	USPAT	OR	ON	2005/11/20 12:25
L87	34	(((((assign\$4 with access) same database) and @ad<="20000608") and schedule) and date and time) and calendar	USPAT	OR	ON	2005/11/20 12:25
L88	92	((assign\$4 with access with (code or ID)) same database) and @ad<="20000608"	USPAT	OR	OFF	2005/11/20 12:25
L89	3	((assign\$4 with access with (code or ID)) same database) and @ad<="20000608") and calendar and schedule	USPAT	OR	ON	2005/11/20 12:25
L90	0	("((assign\$4withaccesswithuser)and database)and(IDorpassword)and @ad<="20000608").PN.	USPAT; USOCR	OR	OFF	2005/11/20 12:25
L91	801	((assign\$4 with access with user) and database) and (ID or password) and @ad<="20000608"	USPAT	OR	ON	2005/11/20 12:25
L92	408	((assign\$4 with access with user) and database) and (ID or password) and administrator and @ad<="20000608"	USPAT	OR	ON	2005/11/20 12:25
L93	150	((assign\$4 with access with user) and database) and (ID or password) and administrator and @ad<="20000608") and (administrator with assign\$4)	USPAT	OR	ON	2005/11/20 12:25
L94	1	(US-5163097-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L95	1	((US-5163097-\$).did.) and (access adj code)	USPAT	OR	ON	2005/11/20 12:25
L96	1	((((US-5163097-\$).did.) and (access adj code)) and administrator	USPAT	OR	ON	2005/11/20 12:25
L97	1	(US-5970466-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L98	36	(US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$ or US-5070453-\$ or US-6101480-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25

L99	4	((US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-5581691-\$ or US-4548510-\$ or US-5970466-\$ or US-6035278-\$ or US-6370566-\$ or US-6505167-\$ or US-6073110-\$ or US-6012037-\$ or US-5070453-\$ or US-6101480-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and ((multiple or multi\$1 or plurality) with level)	USPAT	OR	ON	2005/11/20 12:25
L100	2802	((multiple or multi\$1 or plurality) with level)) and administrator	USPAT	OR	ON	2005/11/20 12:25
L101	1	(US-6041306-\$).did.	DERWENT	OR	OFF	2005/11/20 12:25
L102	1	((US-6041306-\$).did.) and tim\$4	USPAT	OR	ON	2005/11/20 12:25
L103	1	((US-6041306-\$).did.) and (condition or evaluat\$4)	USPAT	OR	ON	2005/11/20 12:25
L104	1	((US-6041306-\$).did.) and memory	USPAT	OR	ON	2005/11/20 12:25
L105	1	(US-6041306-\$).did. and tim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L106	1	(US-6041306-\$).did. and tim\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L107	1	(US-5870545-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L108	1	((US-5870545-\$).did.) and tim\$4	USPAT	OR	ON	2005/11/20 12:25
L109	36	(US-5301320-\$ or US-5581691-\$ or US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-6073110-\$ or US-6012037-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25

L110	36	(US-5301320-\$ or US-5581691-\$ or US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-6073110-\$ or US-6012037-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25
L111	16	((US-5301320-\$ or US-5581691-\$ or US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-6073110-\$ or US-6012037-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and time	USPAT	OR	ON	2005/11/20 12:25
L112	1	(US-5870545-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L113	1	((US-5870545-\$).did.) and arcs	USPAT	OR	ON	2005/11/20 12:25
L114	1	(US-5870545-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L115	1	((US-5870545-\$).did.) and (control time cycle period)	USPAT	OR	ON	2005/11/20 12:25
L116	36	(US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-6073110-\$ or US-6012037-\$ or US-5581691-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25
L117	33517	(start initial) adj conditions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L118	0	((US-6505167-\$ or US-6370566-\$ or US-6101480-\$ or US-6035278-\$ or US-5970466-\$ or US-4548510-\$ or US-5870545-\$ or US-5867824-\$ or US-5799297-\$ or US-5301320-\$ or US-6073110-\$ or US-6012037-\$ or US-5581691-\$ or US-5070453-\$ or US-6526512-\$ or US-5163097-\$).did. or (US-20010051888-\$).did. or (US-6041306-\$).did.) and ((start initial) adj conditions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L119	41	((start initial) adj conditions) same workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L120	18281465	@ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L121	8	((start initial) adj conditions) same workflow) and @ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L122	36	((start initial) adj conditions) with workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L123	2709	((start initial) adj conditions) with (process\$3 workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L124	308	((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L125	135	@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L126	83	718/100-108.ccls. and "705"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L127	135	((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L128	128	((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L129	1	(718/100-108.ccls. and "705"/\$. ccls.) and (((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L130	3	(((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.) and workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L131	24	(((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.) and nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L132	4929	(((((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.) and nodes) and ((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) adn (((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L133	24	(((((ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.) and nodes) and ((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) and (((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L134	1	(US-5740463-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L135	0	((US-5740463-\$).did.) and (threads workflow tasks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L136	1	((US-5740463-\$).did.) and (threads workflow tasks jobs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L137	36	((((start initial) adj conditions) with (process\$3 workflow)) with workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L138	8	@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) with workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L139	52	((((start initial) adj conditions) with (process\$3 workflow)) and workflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L140	11	@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and workflow)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L141	3	((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and workflow)) and ((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) and (((@ad<="19990915" and (((start initial) adj conditions) with (process\$3 workflow)) and (process with work\$4))) not ibm. as.) not international.as.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L142	1	(US-6314434-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L143	1	((US-6314434-\$).did.) and model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L144	1	((US-6314434-\$).did.) and (model same (nodes process\$3 activity connector graph))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L145	0	((US-6314434-\$).did.) and connector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L146	85577	continu\$4 adj (process\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L147	10	(continu\$4 adj (process\$3)) and (718/100-108.ccls. and "705"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L148	1954	carries adj process\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L149	0	(carries adj process\$3) and (718/100-108.ccls. and "705"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L150	0	((carries adj process\$3) and (718/100-108.ccls. and "705"/\$.ccls.)) and @ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L151	1	(atomic with (advantage benefit) with execut\$5) and 718/1-108.ccls.	USPAT	OR	ON	2005/11/20 12:25
L152	18281465	@ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L153	1	L151 and L152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L154	14	(atomic with (advantage benefit) with execut\$5)	USPAT	OR	ON	2005/11/20 12:25
L155	12	L152 and L154	USPAT	OR	ON	2005/11/20 12:25
L156	4092	atomic with (advantage benefit improv\$5)	USPAT	OR	ON	2005/11/20 12:25
L157	3155	L152 and L156	USPAT	OR	ON	2005/11/20 12:25
L158	777	atomic near3 (advantage benefit improv\$5)	USPAT	OR	ON	2005/11/20 12:25
L159	587	L152 and L158	USPAT	OR	ON	2005/11/20 12:25
L160	4	L159 and 718/1-108.ccls.	USPAT	OR	ON	2005/11/20 12:25
L161	13	atomic near3 integrity	USPAT	OR	ON	2005/11/20 12:25
L162	13	L152 and L161	USPAT	OR	ON	2005/11/20 12:25
L163	1	(US-6314434-\$).did.	USPAT	OR	OFF	2005/11/20 12:25
L164	0	L163 and wait\$4	USPAT	OR	ON	2005/11/20 12:25
L165	1	L163 and (start\$4 execut\$4)	USPAT	OR	ON	2005/11/20 12:25
L166	1	(US-6041306-\$).did.	DERWENT	OR	OFF	2005/11/20 12:25
L167	0	L166 and wait\$4	USPAT	OR	ON	2005/11/20 12:25

L168	22	(US-20010051888-\$).did. or (US-4548510-\$ or US-5070453-\$ or US-5163097-\$ or US-5301320-\$ or US-5581691-\$ or US-5740463-\$ or US-5742830-\$ or US-5799297-\$ or US-5867824-\$ or US-5870545-\$ or US-5970466-\$ or US-6012037-\$ or US-6035278-\$ or US-6073110-\$ or US-6101480-\$ or US-6314434-\$ or US-6370566-\$ or US-6505167-\$ or US-6526512-\$ or US-6578006-\$).did. or (US-6041306-\$).did.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/11/20 12:25
L169	7	L168 and wait\$4	USPAT	OR	ON	2005/11/20 12:25
L170	4	L168 and (continu\$4 with execut\$4)	USPAT	OR	ON	2005/11/20 12:25
L171	1	L163 L166	DERWENT	OR	OFF	2005/11/20 12:25
L172	0	L171 and (interval period)	DERWENT	OR	OFF	2005/11/20 12:25
L173	0	L171 and (interval period)	DERWENT	OR	ON	2005/11/20 12:25
L174	0	L171 and (interval period time)	DERWENT	OR	ON	2005/11/20 12:25
L175	0	L171 and (interval period time)	US-PGPUB; USPAT	OR	ON	2005/11/20 12:25
L176	2	L163 L166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L177	1	L176 and (time interval period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L178	29943	(start execut\$4) with (ready (without near3 wait\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L179	3	L178 and L168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25

L180	2027103	(interval period slice) same time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L181	2	L179 and L180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L182	15907	L178 and L180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L183	18	L182 and workflow.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L184	281	workflow.ti. and @ad<="19990915"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L185	3	L183 and L184	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L186	0	L185 and ((time interval period) with (end\$4 expir\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:25
L187	1216	(leymann roller).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:56
L188	65	187 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:57

L189	2	187 and (wfms and true).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 12:57
L190	105	717/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/20 13:01